



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/590,954

05/04/2007

Brady Reuben Davies

1-24871

4408

4859 7590 02/01/2010
MACMILLAN SOBANSKI & TODD, LLC
ONE MARITIME PLAZA FIFTH FLOOR
720 WATER STREET
TOLEDO, OH 43604-1619

EXAMINER

VINH, LAN

ART UNIT

PAPER NUMBER

1792

MAIL DATE

DELIVERY MODE

02/01/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/590,954	Applicant(s) DAVIES, BRADY REUBEN	
	Examiner LAN VINH	Art Unit 1792	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 October 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12, 21-30 and 36-38 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 36-38 is/are allowed.
- 6) ☒ Claim(s) 1-5, 9-12, 21-23, 27-30 is/are rejected.
- 7) ☒ Claim(s) 6-8 and 24-26 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>102009</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 10/01/2009 have been fully considered but they are not persuasive.

The applicants argue that the cited reference of Tadigadapa fails to teach the application of a coating to a first layer, the coating being effective to prevent the coated portion from bonding with a second layer because: the coating 810, taught in Tadigadapa, does not prevent the coated portion from bonding with the second layer, the portions of the first layer that are bonded to the second layer are the coated portions as seen in Fig. 8A-8C), the lack of bonding in the tube cavity 802 is a result of physical separation of the coated surfaces, and not as a result of the applied coatings since the coated surface and 810 promote bonding of the applied coating. This argument is unpersuasive because Tadigaba discloses providing a coating 810 on a recessed portion/first portion of the first layer 800, fusion/direct bonding the first layer and the second layer to each other to form a micromachined device (page 4, paragraph 0055-0056), the coating 810 prevents/being effective to prevent the recessed coated portion/first coated portion from bonding with the second layer 820 as seen in fig. 8C, which certainly meets the requirement of “ the coating being effective to prevent the coated recessed portion/coated portion from bonding with the second layer” as recited in claim 1. While it is true that the lack of bonding in the tube cavity 802 is a result of physical separation of the coated surfaces, it is also true that the open claim language of "comprising" does not exclude the prevention of the coated portion from bonding with

Art Unit: 1792

the second layer as a result of physical separation. The coated surface 830 and 810 do not promote bonding between the coated recessed/coated first portion with the second layer 820 as seen in fig. 8C.

The rejection of claims 1, 9-10, 11 under 35 U.S.C. 102(a) as being anticipated by Tadigadaba et al (US 20030061889) are therefore maintained in this office action

The applicants argue that the cited reference of Kruri-Yakub fails to teach the application of a coating to a first layer, the coating being effective to prevent the coated portion from bonding with a second layer because: the coating 57, taught in Kruri-Yakub, does not prevent the coated portion from bonding with the second layer, the lack of bonding in the tube cavity 56 is a result of physical separation of the coated surfaces, and not as a result of the applied coatings since the coated surface 57 and 14 promote bonding of the applied coating. This argument is unpersuasive because Kruri-Yakub discloses providing a coating 57 on a recessed portion/first portion of the first layer 11, fusion/direct bonding the first layer and the second layer 14/51 to each other to form a micromachined device (col 6, lines 35-65), the coating 57 prevents/being effective to prevent the recessed coated portion/first coated portion from bonding with the second layer 14/51 as seen in fig. 6, which certainly meets the requirement of “ the coating being effective to prevent the coated recessed portion/coated portion from bonding with the second layer” as recited in claim 1. While it is true that the lack of bonding in the tube cavity 56 is a result of physical separation of the coated surfaces, it is also true that the open claim language of "comprising" does not exclude the prevention of the coated portion from bonding with the second layer as a result of physical separation. The

Art Unit: 1792

coated surface 57 and 14 do not promote bonding between the coated recessed/coated first portion with the second layer 14/51 as seen in fig. 6

The rejection(s) of claims 1,4-5, 9-10 under 35 U.S.C. 102(e) as being anticipated by Kruri-Yakub et al (US 6,958,255)/ the rejection(s) of claims 2-3, 22-23 under 35 U.S.C 103(a) as being unpatentable over Kruri-Yakub in view of Cohn/ the rejection(s) of claims 12, 30 under 35 U.S.C 103(a) as being unpatentable over Kruri-Yakub in view of Ting are therefore maintained in this office action

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 9-10, 11 are rejected under 35 U.S.C. 102(a) as being anticipated by Tadigadaba et al (US 20030061889)

Tadigadaba discloses a method for forming a micromachine apparatus by bonding a plurality of layers of material. The method comprises: providing a first layer of material 800, providing a second layer of material 820, providing a coating 810 on a recessed portion/first portion of the first layer 800, fusion/direct bonding the first layer and the

Art Unit: 1792

second layer to each other to form a micromachined device, the coating 810 prevents/being effective to prevent the recessed coated portion/first coated portion from bonding with the second layer 820 as seen in fig. 8C (page 4, paragraphs 0055-0056; figs 8A-8C)

The limitations of claims 9-10 have been discussed above

Regarding claim 11, Tadigadaba discloses masking a side surface/second portion of the first layer 800 during dry etching wherein the side surface/second portion comprises an area of the first layer that is not to be coated by the coating (page 5, paragraph 0055; fig. 8A)

3. Claims 1,4-5, 9-10 are rejected under 35 U.S.C. 102(e) as being anticipated by Kruri-Yakub et al (US 6,958,255)

Kruri-Yakub discloses a method for fabricating a micromachine transducer. The method comprises: providing a first layer of material 11, providing a second layer of material 14/51, providing a coating 57 on a recessed portion/first portion of the first layer 11, fusion/direct bonding the first layer and the second layer to each other to form a micromachined device, the coating being effective to prevent the recessed coated portion/first coated portion from bonding with the second layer 14/51 (col 6, lines 35-65, ; fig. 5.4, fig 6)

Regarding claim 4, Kruri-Yakub discloses that the second layer has a plurality of silicon membranes 14/mechanical parts formed in, the mechanical parts being movable relative to a stationary portion of the second layer (fig. 6)

Art Unit: 1792

Regarding claim 5, Kruri-Yakub discloses that the coating 57 is provided on the first layer at a position that corresponds to the position of the silicon membranes

14/mechanical parts formed in the second layer, such that when the first layer is positioned adjacent the second layer, the coating portion is adjacent the mechanical parts (fig. 6)

The limitations of claims 9-10 have been discussed above

4. Claims 21, 27-28, 29 are rejected under 35 U.S.C. 102(e) as being anticipated by Kruri-Yakub et al (US 6,958,255)

Kruri-Yakub discloses a method for fabricating a micromachine transducer. The method comprises: providing a plurality of layers of material, including at least a first layer 51 and a second layer 11, wherein the first layer includes a silicon membrane 14/movable microvalve portion that is movable relative to a stationary portion of the first layer, providing a coating 57 on a recessed portion/a portion of the second layer 11 (col 6, lines 35-65, ;fig. 5.4, fig 6)

positioning the coated portion of the second layer adjacent to the silicon membrane 14/movable microvalve portion of the first layer (fig. 6)

performing a fusion/bonding operation to bond the plurality of layers (first and second layer) together, wherein the coating 57 prevents the silicon membrane 14/movable microvalve portion of the first layer from bonding with the recessed coated portion of the second layer while a side surface/an uncoated portion of the second layer 11 bonds to the stationary portion of the first layer 51 (col 6, lines 45-55; fig 6)

The limitations of claims 27-28 have been discussed above

Regarding claim 29, Kruri-Yakub masking a side surface/second portion of the second layer 11 wherein the second portion comprises an area of the second layer that is not to be coated by the coating when the coating is applied to the rest of the second layer (fig. 4.1)

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 2-3, 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kruri-Yakub et al (US 6,958,255) in view of Cohn et al (US 2002/0096421)

Kruri-Yakub method has been described above. Unlike the instant claimed inventions as per claims 2-3, 22-23, Kruri-Yakub discloses that the coating material is silicon oxide instead of silicon nitride

Cohn, in a method for manufacturing MEMS device, discloses that silicon oxide or silicon nitride can be used as insulating coating on a substrate of a MEMS device (page 4, paragraph 0052)

One skilled in the art at the time the invention was made would have found it obvious to modify Kruri-Yakub method by using a coating of silicon nitride as per Cohn since

Art Unit: 1792

Cohn discloses that a contiguous dielectric layer (i.e. silicon nitride) was often used as an isolation layer between elements of a MEMS device (page 6, paragraph 0072)

6. Claims 12, 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kruri-Yakub et al (US 6,958,255) in view of Ting (US 5,856,705)

Kruri-Yakub method has been described above. Unlike the instant claimed inventions as per claims 12, 30, Kruri-Yakub fails to disclose that the coating is applied with a thickness of 10 Angstroms to 100 micrometers.

Ting discloses a process for forming a sealed chip comprises a step of forming a coating having a thickness of 500 angstroms (col 4, lines 1-5)

One skilled in the art at the time the invention was made would have found it obvious to modify Kruri-Yakub method by forming a coating having a thickness of 500 angstroms because Ting discloses that thin nitride/coating will minimize the stress and deleterious effects upon device performance (see abstract)

Allowable Subject Matter

7. Claims 36-38 allowed for the reason stated in the previous office action

Claims 6-8, 24-26 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims, for the reason stated in the previous office action

8. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAN VINH whose telephone number is (571)272-1471. The examiner can normally be reached on M-F 8:30-5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on 571 272 1465. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1792

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Lan Vinh/
Primary Examiner, Art Unit 1792